



LIQUID PACKAGING TECHNOLOGY

OIL/VISCIOUS
LEQUIED



FEATURES

- 🔥 Fully Automatic with user
- 🔥 Friendly Controls
- 🔥 Auto Indicator for End of Film Roll
- 🔥 Easy Access to Control points
- 🔥 Easy to Maintain

OPTIONAL ACCESSORIES

- 🔥 Voltage Stabilizer
- 🔥 Take off Conveyor
- 🔥 Coding Unit
- 🔥 Water Cooler

APPLICATION

This Machine is Very Useful to Edible Oil, Ghee, Vanaspati, Pasteurised Fruit Pulp, Mango Pulp, Fresh Cream, Tomato Puree, Mayonnaise, Bread Spread, Curry Paste, Lubricating Oil, Grease, Fevicol, Paint & Varnishes etc



40 PPM



15 PPM



TECHNICAL SPECIFICATIONS OF AUTOMATIC FORM, FILL & SEAL MACHINES

Model	C-LAX15	C-LAX-20	C-LAX-40
Product	Oil, Vanaspati & any other Viscous Liquid	Oil, Vanaspati & any other Viscous Liquid	Oil, Vanaspati & any other Viscous Liquid
Filling range	200ml to1000ml	200ml to1000ml	200ml to1000ml
Packaging material	Co Extruded 5 layer Based 85 Micron to 110 Micron	Co Extruded 5 layer Based 85 Micron to 110 Micron	Co Extruded 5 layer Based 85 Micron to 110 Micron
Film reel core Dia	Core dia75 mm and reel dia 300mm	Core dia75 mm and reel dia 300mm	Core dia75 mm and reel dia 300mm
Pouch format	3 side seal for increase panel area	3 side seal for increase panel area	3 side seal for increase panel area
Input Supply	415 V AC,50 Hz, 3 Phase, 4 Wire	415 V AC,50 Hz, 3 Phase, 4 Wire	415 V AC,50 Hz, 3 Phase, 4 Wire
Connected Load	3.5 kW	3.5 kW	3.5 kW
Cooling Water Flow Rate	200 litres/hr	200 litres/hr	200 litres/hr
Temperature Range	6 degrees to 8 degrees C maintained	6 degrees to 8 degrees C maintained	6 degrees to 8 degrees C maintained
Minimum Pressure	0.5 bar	0.5 bar	0.5 bar
Speed	12 to 15	18 to 20	36 to 38
Main Drive	AC Motor	AC Motor	Servo Motor
Filling Option	Volumetric Filler	Pump Filler	Pump Filler

FEATURES

- Single head & double jaw operation.
- Mechanical cam with linkage mechanism for different functions.
- MS structure with SS contact parts & covers.
- Intermediate dosing system.
- Enclose SS cabinet.
- Full mechanical machine no required any air compressor.
- Less floor space requirement for machine.



CIVET

ISO : 9001-2015

CIVET INDIA

01 Double/4 head Automatic TIN filling machine

02 Automative or Manual TIN capping

03 Single head Manual TIN filling with capping

04 Manual Bottle Filler with Manual capping

05 Automatic 4/6/8 head Bottle filling machine with capping

• CONNECT WITH US •



Call Us & WhatsApp

8334957009



info@civetindia.com



enquiry.civet@gmail.com



www.civetindia.com



Factory / Office Address

304/3, Pashchim Ichapore, Shastriji Road, Near Magnolia City, Barasat North 24PGS.WB-700126